

CS165 – Computer Security

History of Software Attacks


October 3, 2025



Attacks!

2

- Even in the early days of computing, people were worried about attacks on computer systems
- Why were they concerned?



Early Concerns

3

- Significant early (1960s) computer systems were funded for government use
 - ▣ From single-user systems to timesharing, multi-user systems
 - ▣ Leakage of secrets was critical to the Allies success in World War II – and the top concern in the Cold War
- So, when the US funded the development of a general purpose, multi-user operating system
 - ▣ Considered security issues as a first-class concept

Multics Project

- ❑ Major operating systems research project
 - ❑ Information about the project is available online
 - ❑ <https://multicians.org/history.html>



Multics Project



- Participants: MIT, Bell Labs, General Electric
 - ▣ Bell Labs dropped out in 1969
 - Later did a system you may be familiar with...
 - ▣ General Electric sold out to Honeywell in 1970
- Started in 1965 and funded by the US government (DARPA) for over \$2M per year at the time
 - ▣ Delivered systems to US Air Force
 - ▣ Later sold to various governments and to auto makers, universities, and commercial data processing services
 - ▣ Last Multics system was shut down in 2000 (Canada)

Multics Project

- Why are we discussing a system that is no longer in use?
 - ▣ And only sold **80 installations**
 - ▣ But, at about \$7M each



Multics Security



- Due to the interest in government deployments, **security was a key goal** of the Multics project from the outset
- They were concerned about two main problems
 - ▣ **Secrecy**
 - Prevent the unauthorized access to sensitive data
 - ▣ **Integrity**
 - Prevent the illicit modification of sensitive data
- Multics researchers already had a good idea about the **software security problems** we would face

Process Compromise

- Can an **adversary** provide an **input payload** that enables the adversary to **hijack** your program?
 - ▣ Multics researchers knew this was possible in theory
 - ▣ And demonstrated such attacks were possible in a vulnerability analysis of Multics in 1974
 - See retrospective in <https://www.acsac.org/2002/papers/classic-multics-orig.pdf>
 - Among other attacks
- Does this attack violate **secrecy** or **integrity**?

Security in Theory



- How can you ensure that your **program's integrity**?
 - ▣ I.e., prevent any process compromise

Security in Theory



- How can you ensure that your program's integrity?
 - ▣ No **adversary** can provide an **input** to your program
 - ▣ Codified as the **Biba Integrity Model** in 1977
- Works but is often not practical
 - ▣ Why not?

Program Input



- How does your program receive **inputs**?

System Calls Receive Input

- How does your program receive **inputs**?
 - ▣ **System calls**
 - Open and read a file
 - Open and receive packets on a socket
 - Open a pipe and receive input
 - Open a shared memory region with another process
 - Etc.
- How can an **adversary** impact these **inputs**?

At-Risk System Calls



- Which system calls does your program make that are **at risk** of receiving adversary input?

System Calls and Resources



- Which system calls does your program make that are at risk of receiving adversary input?
 - ▣ Ones that may receive input that can be **modified by an adversary**
 - ▣ Let's discuss an example

System Calls and Resources

- Which system calls does your program make that are at risk of receiving adversary input?
 - ▣ Ones that may receive input that can be **modified by an adversary**
 - ▣ Suppose there are **three system calls** and **three resources**:
 - Files A and B
 - Socket C
 - ▣ Suppose an adversary can modify File B and the send packets to Socket C
 - **Which system calls are at risk?**

System Calls at Risk

- Suppose there are **three system calls** and **three resources**:
 - ▣ Files A and B
 - ▣ Socket C
- Suppose an adversary can modify File B and the send packets to Socket C
 - ▣ **Which system calls are at risk?**
- Ones that access adversary modifiable resources
 - ▣ I.e., Syscalls that access File B and Socket C
 - ▣ **WARNING**: Could be any of the 3 syscalls


Attack Surface



- **Key term:** Attack surface
- An **attack surface** is the set of system calls your program makes that **may access adversary-controlled resources**
 - ▣ I.e., receive adversary input
- You will need to protect your program's attack surface
 - ▣ More to come

First Attack “In the Wild”

- What was the first (large-scale) attack launched against public computer systems?



Morris Worm

- Robert Morris, a 23-year-old Cornell PhD student
 - ▣ Wrote a small (99 line) program
 - ▣ Launched on November 3, 1988
 - ▣ Simply disabled the Internet
- Used a buffer overflow in a program called **fingerd**
 - ▣ To get adversary-controlled code running
- Then spread to other hosts – cracked passwords and leveraged open LAN configurations
- Covered its tracks in a variety of ways

Morris Worm

□ Fingerd

- A UNIX program you can use to determine who is logged into a computer
 - Send a network request to the daemon, which responds with who is logged in and some other metadata
 - I used this program to see if other students or my advisor were online in grad school
- The fingerd program was known to have a flaw that permitted an input payload to hijack execution
- We'll learn this cause and its prevention later

Morris Worm

- Hijack Fingerd
 - ▣ Caused to act as a malicious program that came to be called a “**computer worm**”
 - ▣ The computer worm **hijacks the fingerd process**
 - Runs code chosen by the worm writer instead of fingerd
 - To download other malicious programs to propagate the attack to other computers in the same network (easy then)
 - And then to other networks
- **Computer worm**: a malware program that replicates itself to spread to multiple computers

Morris Worm

- Hijack Fingerd
 - ▣ Besides the worm behaviors, the Morris worm used multiple techniques to **evade identification and ensure that its propagation was not thwarted**
 - These techniques worked too well for the time
 - ▣ Change the name of the processes created by a hijacked fingerd to “sh”, avoid creating accurate “cores”
 - ▣ Tried to propagate to the same computer multiple times
- Basically, created an **Internet-scale denial-of-service attack** because many computers were running many copies of the Morris worm simultaneously

Morris Worm

- Other than stealing CPU cycles galore,
 - ▣ The Morris Worm **did not perform any operations that stole data or modified existing data** on a compromised host
 - I.e., did not attack the secrecy and integrity of host data
 - Although it certainly impacted the integrity of the fingerd process
- Nonetheless, Morris faced punishments in the forms of fines and prohibitions on computer use for a time period

Morris Worm Reaction

- It was Morris's fault
 - ▣ Hands were wrung, Morris was punished, few tangible security changes happened in commercial systems
 - **Exception:** Network security research
 - ▣ And computer systems took more risks
 - E.g., executable email attachments



The Internet



- Then, the **Internet** “happened”
 - ▣ Actually, the World Wide Web took off in 1995 or so
- Everyone is (well, many people are) connected
 - ▣ Not everyone is nice
- It didn't take too long for **new attacks** like the Morris worm to emerge
 - ▣ But, these truly had **malicious intent**

Code Red



- **Worm** from 2001
 - ▣ Attacked the **Windows IIS web server**
 - ▣ Exploited a publicly known vulnerability
 - A patch had been available a month before
- Same type of vulnerability as the Morris worm
 - ▣ Called a **buffer overflow**
- Malicious activities
 - ▣ Defaced websites and launched a DDoS against several IPs, including the White House
- **Code Red II** later used the same vulnerability

SQL Slammer



- **Worm** from 2003
 - ▣ Attacked the Windows SQL server (database server)
 - ▣ Compromised approximately 75,000 hosts worldwide
 - In about 10 minutes
 - ▣ Also, exploited a publicly known vulnerability
 - A patch had been available for six months
- Also used a **buffer overflow**
- Malicious activities
 - ▣ None really – impact was mainly a denial of service
 - And concern that a bad actor could “own” all Internet hosts

Worm Reactions

- **Problem:** known vulnerabilities are exploited on unpatched machines
 - ▣ Firewall and antivirus rules target such information
- **Problem:** one vulnerability enables an adversary to control a host completely
 - ▣ Reduce the permissions of network-facing daemons, e.g., no longer run as “root” or “admin”
- **Problem:** buffer overflow allows an adversary to “inject” their code into a compromised process
 - ▣ Prevent executing data on the stack and randomize memory locations of variables and code

Results

- Did the proposed defenses stop these problems?



Results

- Did the proposed defenses stop other attacks from being successful?



Results



- Did these defenses stop the problems?
 - ▣ Proposed defenses did address the issues of the time
 - E.g., do not see attacks on one known vulnerability enabling compromise of all (most) the Internet hosts
- But, adversaries develop other attack approaches
 - ▣ So, **plenty of attack options remain**
- An aim in this course is to introduce you to **exploitation techniques to help you understand how to prevent the creation of exploitable flaws**

Take Away



- The **history of software attacks** is rather complex
- Early systems designers were aware of the importance of preventing software attacks (Multics)
 - ▣ Knew about attacks that were possible
 - ▣ Knew eliminating **attack surfaces** would prevent attacks
- The first attacks “in-the-wild” were **worm** attacks
 - ▣ Exploit the network attack surface
 - ▣ Defenses were proposed to protect the network attack surface – **more later**
- We have been in reactive mode ever since

Questions

42

