

## Math 142-2, Homework 4

Your name here

### Problem 57.2

57.2. Suppose a velocity field is given:

$$u(x, t) = \frac{30x + 30L}{15t + L}$$

(a) Determine the motion of a car which starts at  $x = L/2$  at  $t = 0$ . [Hint: Why does  $dx/dt = (30x + 30L)/(15t + L)$ ? Solve this differential equation. It is separable.]

**Your solution goes here**

(b) Show that  $u(x, t)$  is constant along straight lines in the  $x - t$  plane, but the car does not move at a constant velocity.

**Your solution goes here**

### Problem 57.3

Suppose that the velocity field  $u(x, t)$  is known. What mathematical problem needs to be solved in order to determine the position of a car at later times, which starts (at  $t = 0$ ) at  $x = L$ ?

**Your solution goes here**

### Problem 57.5

Suppose that  $u(x, t) = e^{-t}$ .

(a) Sketch curves in  $x - t$  space along which  $u(x, t)$  is constant.

**Your solution goes here**

(b) Determine the time dependence of the position of any car.

**Your solution goes here**

(c) In the same  $x - t$  space used in part (a), sketch various different car paths.

**Your solution goes here**

## Problem 57.6

Consider an infinite number of cars, each designated by a number  $\beta$ . Assume the car labeled  $\beta$  starts from  $x = \beta$  ( $\beta > 0$ ) with zero velocity, and also assume it has a constant acceleration  $\beta$ .

(a) Determine the position and velocity of each car as a function of time.

**Your solution goes here**

(b) Sketch the path of a typical car.

**Your solution goes here**

(c) Determine the velocity field  $u(x, t)$ .

**Your solution goes here**

(d) Sketch curves along which  $u(x, t)$  is a constant.

**Your solution goes here**

## Problem 59.2

Suppose that at position  $x_0$  the traffic flow is known,  $q(x_0, t)$ , and varies with time. Calculate the number of cars that pass  $x_0$ , between  $t = 0$  and  $t = t_0$ .

**Your solution goes here**

## Problem 59.3

In an experiment the total number of cars that pass a position  $x_0$  after  $t = 0$ ,  $M(x_0, t)$ , is measured as a function of time. Assume this series of points has been smoothed to make a continuous curve.

(a) Briefly explain why the curve  $M(x_0, t)$  is increasing as  $t$  increases.

**Your solution goes here**

(b) What is the traffic flow at  $t = \tau$ ?

**Your solution goes here**

## Problem 60.1

Consider a semi-infinite highway  $0 \leq x < \infty$  (with no entrances or exits other than at  $x = 0$ ). Show that the number of cars on the highway at time  $t$  is

$$N_0 + \int_0^t q(0, \tau) d\tau,$$

where  $N_0$  is the number of cars on the highway at  $t = 0$ . (You may assume that  $\rho(x, t) \rightarrow 0$  as  $x \rightarrow \infty$ .)

**Your solution goes here**

## Problem 60.2

Suppose that we are interested in the change in the number of cars  $N(t)$  between two observers, one fixed at  $x = a$  and the other moving in some prescribed manner,  $x = b(t)$ :

$$N(t) = \int_a^{b(t)} \rho(x, t) dx$$

(a) The derivative of an integral with a variable limit is

$$\frac{dN}{dt} = \frac{db}{dt} \rho(b, t) + \int_a^{b(t)} \frac{\partial \rho}{\partial t} dx.$$

(Note that the integrand,  $\rho(x, t)$ , also depends on  $t$ .) Show this result either by considering  $\lim_{\Delta t \rightarrow 0} [N(t + \Delta t) - N(t)]/\Delta t$  or by using the chain rule for derivatives.

**Your solution goes here**

(b) Using  $\frac{\partial \rho}{\partial t} = -\frac{\partial}{\partial x}(\rho u)$  show that

$$\frac{dN}{dt} = -\rho(b, t) \left( u(b, t) - \frac{db}{dt} \right) + \rho(a, t) u(a, t).$$

**Your solution goes here**

(c) Interpret the result of part (b) if the moving observer is in a car moving with the traffic.

**Your solution goes here**

## Problem 61.3

Assume that a velocity field,  $u(x, t)$ , exists. Show that the acceleration of an individual car is given by

$$\frac{\partial u}{\partial t} + u \frac{\partial u}{\partial x}.$$

**Your solution goes here**