




Homework 1, solution keys, spring, 2021

Q1 [10 pts]



Q2 [10 pts]



Q3 [20 pts] P.54 Ex.2.2.8

a) [10 pts] Proof

Basis:  $\delta(q, a) = q$  for all states of  $A$  and a particular input symbol  $a$ .

Induction: since  $a^n = a^{n-1} \cdot a$  and  $\delta(q, a) = q$ , we have

$$\hat{\delta}(q, a^n) = \delta(\hat{\delta}(q, a^{n-1}), a) = \hat{\delta}(q, a^{n-1}) = q \text{ by the inductive hypothesis}$$

b) [10 pts]


Let  $q_0$  be the start state of this DFA. We will discuss the following two conditions.

If  $\varepsilon \in L(A)$ , it means  $q_0$  is an accepting state. According to a),  $\hat{\delta}(q_0, a^n) = q_0$ , that is, all input with the format  $a^n$  will be accepted. So  $\{a^*\} \subseteq L(A)$ .


If  $\varepsilon \notin L(A)$ , it means  $q_0$  is not an accepting state. According to a),  $\hat{\delta}(q_0, a^n) = q_0$ , that is, all input with the format  $a^n$  will not be accepted. So  $\{a^*\} \cap L(A) = \Phi$ .

Since  $q_0$  is either an accepting state or not, we get the conclusion that either  $\{a^*\} \subseteq L(A)$  or  $\{a^*\} \cap L(A) = \Phi$ .


Q4 [15 pts + 5 bonus pts] Design an NFA for each of the languages in P.54 Ex.2.2.5.  
 a) optional Note that a DFA is also an NFA by definition.



b)




c)



You may eliminate the e-transitions in this e-NFA by computing the ECLOSE for every state.

d)



Q5 [10 pts] P.66 Ex.2.3.2

	0	1
$\rightarrow \{p\}$	$\{q, s\}$	$\{q\}$
$* \{q, s\}$	$\{r\}$	$\{p, q, r\}$
$\{r\}$	$\{s\}$	$\{p\}$
$* \{q\}$	$\{r\}$	$\{q, r\}$
$* \{p, q, r\}$	$\{q, s, r\}$	$\{p, q, r\}$
$* \{s\}$	$\Phi$	$\{p\}$
$* \{q, r\}$	$\{r, s\}$	$\{p, q, r\}$
$* \{q, s, r\}$	$\{r, s\}$	$\{p, q, r\}$
$* \{r, s\}$	$\{s\}$	$\{p\}$
$\Phi$	$\Phi$	$\Phi$